



Cast Iron Sheaves - **Heavy Duty**  
Bushed, **One and Two Groove**  
A-B TB Sheaves  
Order part number size  
Example: 1B34-1210

**For A & B V-Belts.**

Order TB bushings separately



Type 1 Solid  
Type 2 Web  
Type 3 Spoke



Type A Type E Type F

O.D.	P.D.		1 Groove F = 1B34-1210 THRU 1B154-2517 = 1 1B184-2517 = 1 1/8						2 Groove F = 1 3/4					
	A	B	Part No.	Bush	Type	K	L	WT.	Part No.	Bush	Type	K	L	WT.
3.75	3.00	3.40	1B34-1210	1210	A-1	0	1	2.2	2B34-1210	1210	A-1	3/4	1 15/16	2.9
3.95	3.20	3.60	1B36-1210	1210	A-1	0	1	2.6	2B36-1210	1210	A-1	3/4	1 15/16	3.8
4.15	3.40	3.80	1B38-1610	1610	A-1	0	1	2.8	2B38-1610	1610	A-1	3/4	1 15/16	3.0
4.35	3.60	4.00	1B40-1610	1610	A-1	0	1	3.0	2B40-1610	1610	A-1	3/4	1 15/16	3.8
4.55	3.80	4.20	1B42-1610	1610	A-1	0	1	3.5	2B42-1610	1610	A-1	3/4	1 15/16	3.9
4.75	4.00	4.40	1B44-1610	1610	A-1	0	1	3.8	2B44-1610	1610	A-1	3/4	1 15/16	3.9
4.95	4.20	4.60	1B46-1610	1610	A-1	0	1	4.0	2B46-1610	1610	A-1	3/4	1 15/16	4.5
5.15	4.40	4.80	1B48-1610	1610	A-1	0	1	4.5	2B48-1610	1610	A-1	3/4	1 15/16	5.3
5.35	4.60	5.00	1B50-1610	1610	A-1	0	1	4.8	2B50-1610	1610	A-1	3/4	1 15/16	5.6
5.55	4.80	5.20	1B52-1610	1610	A-1	0	1	5.0	2B52-1610	1610	A-1	3/4	1 15/16	6.1
5.75	5.00	5.40	1B54-1610	1610	A-1	0	1	5.5	2B54-1610	1610	A-1	3/4	1 15/16	6.5
5.95	5.20	5.60	1B56-1610	1610	A-1	0	1	6.0	2B56-1610	1610	A-1	3/4	1 15/16	7.4
6.15	5.40	5.80	1B58-1610	1610	A-1	0	1	6.3	2B58-1610	1610	A-1	3/4	1 15/16	8.0
6.35	5.60	6.00	1B60-1610	1610	A-1	0	1	6.7	2B60-1610	1610	A-1	3/4	1 15/16	8.9
6.55	5.80	6.20	1B62-1610	1610	A-1	0	1	7.0	2B62-1610	1610	A-1	3/4	1 15/16	7.6
6.75	6.00	6.40	1B64-1610	1610	A-1	0	1	8.0	2B64-1610	1610	A-1	3/4	1 15/16	7.8
6.95	6.20	6.60	1B66-1610	1610	A-1	0	1	8.5	2B66-1610	1610	A-1	3/4	1 15/16	8.3
7.15	6.40	6.80	1B68-1610	1610	A-1	0	1	9.0	2B68-1610	1610	A-1	3/4	1 15/16	8.8
7.75	7.00	7.40	1B74-2517	2517	E-1	0	1 3/4	9.4	2B74-2517	2517	A-1	0	2 1/2	11.5
8.95	8.20	8.60	1B86-2517	2517	E-2	0	1 3/4	12.0	2B86-2517	2517	A-2	0	2 1/2	16.0
9.75	9.00	9.40	1B94-2517	2517	E-2	0	1 3/4	14.0	2B94-2517	2517	A-2	0	2 1/2	15.5
11.35	10.60	11.00	1B110-2517	2517	E-2	0	1 3/4	18.0	2B110-2517	2517	A-2	0	2 1/2	18.9
12.75	12.00	12.40	1B124-2517	2517	F-3	1/4	1 3/4	18.5	2B124-2517	2517	A-3	0	2 1/2	21.1
15.75	15.00	15.40	1B154-2517	2517	F-3	1/4	1 3/4	19.0	2B154-2517	2517	A-3	0	2 1/2	24.8
18.75	18.00	18.40	1B184-2517	2517	F-3	3/16	1 3/4	24.0	2B184-2517	2517	A-3	0	2 1/2	32.3
20.35	19.60	20.00							2B200-3020	3020	F-3	0	2 1/2	42.3
25.35	24.60	25.00							2B250-3020	3020	F-3	0	2 1/2	50.3
30.35	29.60	30.00							2B300-3020	3020	F-3	0	2 1/2	68.8

**Note:** Cast iron sheaves may not exceed 6500 FPM. This speed **DOES NOT** specify if dynamic balancing (2 plane) is required. Contact customer service to verify whether dynamic balancing is required.

# TB Bushing Sheaves

Cast Iron Sheaves - **Heavy Duty**  
Bushed, **Three and Four Groove**



A-B TB Sheaves

Order part number size

Example: 3B34-1210

**For A & B V-Belts.**

Order TB bushings separately



O.D.	P.D.		3 Groove F = 2 1/2						4 Groove F = 3 1/4					
	A	B	Part No.	Bush	Type	K	L	WT.	Part No.	Bush	Type	K	L	WT.
3.75	3.00	3.40	<b>3B34-1210</b>	1210	A-1	1 1/2	1	3.0	<b>4B34-1210</b>	1210	A-1	2 1/4	1	3.0
3.95	3.20	3.60	<b>3B36-1210</b>	1210	A-1	1 1/2	1	3.5	<b>4B36-1210</b>	1210	A-1	2 1/4	1	3.5
4.15	3.40	3.80	<b>3B38-1610</b>	1610	A-1	1 1/2	1	4.0	<b>4B38-1610</b>	1610	A-1	2 1/4	1	4.0
4.35	3.60	4.00	<b>3B40-1610</b>	1610	A-1	1 1/2	1	5.0	<b>4B40-1610</b>	1610	A-1	2 1/4	1	5.0
4.55	3.80	4.20	<b>3B42-1610</b>	1610	A-1	1 1/2	1	6.0	<b>4B42-1610</b>	1610	A-1	2 1/4	1	5.5
4.75	4.00	4.40	<b>3B44-1610</b>	1610	A-1	1 1/2	1	6.5	<b>4B44-1610</b>	1610	A-1	2 1/4	1	6.0
4.95	4.20	4.60	<b>3B46-1610</b>	1610	A-1	1 1/2	1	7.0	<b>4B46-1610</b>	1610	A-1	2 1/4	1	7.0
5.15	4.40	4.80	<b>3B48-1610</b>	1610	A-1	1 1/2	1	8.0	<b>4B48-1610</b>	1610	A-1	2 1/4	1	8.0
5.35	4.60	5.00	<b>3B50-1610</b>	1610	A-1	1 1/2	1	8.5	<b>4B50-2517</b>	2517	A-1	1 1/2	1 3/4	8.5
5.55	4.80	5.20	<b>3B52-1610</b>	1610	A-1	1 1/2	1	9.0	<b>4B52-2517</b>	2517	A-1	1 1/2	1 3/4	9.0
5.75	5.00	5.40	<b>3B54-2517</b>	2517	A-1	1 1/2	1 3/4	9.5	<b>4B54-2517</b>	2517	A-1	1 1/2	1 3/4	9.5
5.95	5.20	5.60	<b>3B56-2517</b>	2517	A-1	1 1/2	1 3/4	10.0	<b>4B56-2517</b>	2517	A-1	1 1/2	1 3/4	10.0
6.15	5.40	5.80	<b>3B58-2517</b>	2517	A-1	3/4	1 3/4	10.5	<b>4B58-2517</b>	2517	A-1	1 1/2	1 3/4	12.0
6.35	5.60	6.00	<b>3B60-2517</b>	2517	A-1	3/4	1 3/4	11.0	<b>4B60-2517</b>	2517	A-1	1 1/2	1 3/4	12.5
6.55	5.80	6.20	<b>3B62-2517</b>	2517	A-1	3/4	1 3/4	11.5	<b>4B62-2517</b>	2517	A-1	1 1/2	1 3/4	13.0
6.75	6.00	6.40	<b>3B64-2517</b>	2517	A-1	3/4	1 3/4	12.0	<b>4B64-2517</b>	2517	A-1	1 1/2	1 3/4	14.0
6.95	6.20	6.60	<b>3B66-2517</b>	2517	A-1	3/4	1 3/4	12.3	<b>4B66-2517</b>	2517	A-1	1 1/2	1 3/4	15.0
7.15	6.40	6.80	<b>3B68-2517</b>	2517	A-1	3/4	1 3/4	12.8	<b>4B68-2517</b>	2517	A-1	1 1/2	1 3/4	16.0
7.75	7.00	7.40	<b>3B74-2517</b>	2517	A-1	3/4	1 3/4	16.0	<b>4B74-2517</b>	2517	A-1	1 1/2	1 3/4	20.0
8.95	8.20	8.60	<b>3B86-2517</b>	2517	A-2	3/4	1 3/4	19.0	<b>4B86-2517</b>	2517	A-2	1 1/2	1 3/4	21.0
9.75	9.00	9.40	<b>3B94-2517</b>	2517	A-2	3/4	1 3/4	21.0	<b>4B94-2517</b>	2517	A-2	1 1/2	1 3/4	23.0
11.35	10.60	11.00	<b>3B110-2517</b>	2517	A-2	3/4	1 3/4	24.0	<b>4B110-2517</b>	2517	A-2	1 1/2	1 3/4	28.0
12.75	12.00	12.40	<b>3B124-2517</b>	2517	A-3	0	1 3/4	28.0	<b>4B124-2517</b>	2517	A-3	3/8	1 3/4	34.0
15.75	15.00	15.40	<b>3B154-2517</b>	2517	A-3	0	1 3/4	30.0	<b>4B154-2517</b>	2517	A-3	3/8	1 3/4	42.0
18.75	18.00	18.40	<b>3B184-2517</b>	2517	A-3	0	1 3/4	44.0	<b>4B184-2517</b>	2517	A-3	1/2	1 3/4	53.0
20.35	19.60	20.00	<b>3B200-3020</b>	3020	A-3	0	2	58.0	<b>4B200-3030</b>	3030	A-3	1/2	2	63.0
25.35	24.60	25.00	<b>3B250-3020</b>	3020	A-3	0	2	74.0	<b>4B250-3030</b>	3030	A-3	0	3	80.0
30.35	29.60	30.00	<b>3B300-3020</b>	3020	A-3	0	2	84.0	<b>4B300-3030</b>	3030	A-3	0	3	100.0
38.35	37.60	38.00	<b>3B380-3020</b>	3020	E-3	0	2	135.0	<b>4B380-3030</b>	3030	A-3	0	3	142.0

**Note:** Cast iron sheaves may not exceed 6500 FPM. This speed **DOES NOT** specify if dynamic balancing (2 plane) is required. Contact customer service to verify whether dynamic balancing is required.